

Programme

2009 Annual Meeting of the Mammalogical Society of Japan at Taipei

Date: 21–24 November 2009

Nov. 22: International Conference Hall

Japan and Taiwan Cooperative Symposium 1

15:00–18:15 **Japan and Taiwan Cooperative Symposium 1**
Current status and challenge of mammal management in East Asia
—Consensus building and cooperation with local residents—

“Introduction: Challenge of mammal management in East Asia”

Koji Yamazaki (Ibaraki Nature Museum)

“Consensus building with local resident for the reintroduction project of Asiatic black bear (*Ursus thibetanus ussuricus*) in South Korea”

Dong Hyuk, Jeong & Bae Keun, Lee (Species Restoration Center, Korea National Park Service)

“A key on wildlife management: the aboriginal people in Taiwan”

Wang Ying (Taiwan Normal University)

“Wildlife management with cooperation of local people, village, administration in Hyogo Prefecture”

Mayumi Yokoyama (University of Hyogo)

“Wildlife conservation in cooperation with local communities neighboring a National Park in Kenya”

Hiroshi Imae (Hokkaido University)

Commentators: Koichi Kaji, Hwang Mei-Hsiu

Nov. 23: International Conference Hall

Members' Meeting / The Mammalogical Society Prize Lecture / Japan and Taiwan Cooperative Symposium 2

11:00–12:30 **Members' Meeting**

13:30–14:15 **The Mammalogical Society Prize Lecture**
Kazuo Moriwaki (RIKEN BioResource Center)

14:30–17:45 **Japan and Taiwan Cooperative Symposium 2**
Zoogeography of Mammals in East Asia—Understanding the Island Fauna

Introduction “Island mammal fauna in East Asia”

Masaharu Motokawa (The Kyoto University Museum, Japan)

“Zoogeography of small mammals in Taiwan”

Hon-Tsen Yu (Institute of Zoology and Department of Life Science, National Taiwan University, Taiwan)

“Phylogeography of giant flying squirrels: evolutionary history of arboreal small mammals in Asia's forests”

Tatsuo Oshida (Obihiro University of Agriculture and Veterinary Medicine)

“Pleistocene mammalian fossils in Taiwan”

Chun-Hsiang Chang (Department of Geology, National Museum of Natural Science, Taiwan)

“Molecular phylogeography on carnivores of Japan and Taiwan”

Ryuichi Masuda (Faculty of Science, Hokkaido University, Japan)

18:30–20:30 **Beer Party for Participants from Japan and Taiwan**

Workshops

- F22-1 **Taxonomic reviews of Taiwanese Insectivora**
Shin-Ichiro Kawada (Dept. Zool, Natl. Mus. Nat. Sci), Masatoshi Yasuda (FFPRI-Kyushu)
Nov. 22 10:30–12:30 Room C-01
- F22-2 **Convention on Biological Diversity and Conservation of Mammals in Urban Areas**
Akiko Hasegawa (Nagoya Univ, Agr), Junji Moribe (Nagoya Univ, Agr)
Nov. 22 10:30–12:30 Room C-02
- F22-3 **Population Control of Japanese Macaques**
Watanabe Kunio, Enari Hiroto (Primate Res. Inst., Kyoto Univ.), Tokida Kunihiko (Japan Wildlife Res. Center)
Nov. 22 12:45–14:45 Room C-01
- F22-4 **Recent cetology studies in Taiwan and Japan**
Tadasu K. Yamada (National Museum of Nature and Science), Lien-Siang Chou (National Taiwan University)
Nov. 22 12:45–14:45 Room C-02
- F23-1 **Foods of mammals, 2. Comparisons of two animals at two places**
Seiki Takatsuki, Takafumi Tatewaki (Laboratory of Wildlife Ecology and Conservation, Azabu University)
Nov. 23 9:00–11:00 Room C-01
- F23-2 **Drive monkeys away!! —The present situation of driving monkeys away to reduce crop damage in Japan—**
Kei Shirai (Wildlife Management Office, Inc.), Misao Okano (Wildlife Management Office Inc.),
Seino Hironori (Wildlife Management Office, Inc.), Mami Saeki (Wildlife Management Office, Inc.),
Takeharu Uno (Miyagi Monkey and Mammal Management Center), Yutaka Yoshida (Yamanashi Institute of
Environmental Sciences)
Nov. 23 9:00–11:00 Room C-02
- F24-1 **Diet and morphological evolution in mammals**
Masakazu Asahara (Kyoto Univ.)
Nov. 24 9:00–11:00 Room C-01
- F24-2 **Approaches for bear species population monitoring in Japan**
Tsutomu Mano (Hokkaido-IES), Yoshikazu Sato (Nihon Univ.)
Nov. 24 12:30–14:30 International Conference Hall
- F24-3 **The latest chapters of the carnivore research techniques manual: Where next?**
Yayoi Kaneko (Tokyo University of Agriculture and Technology), Yuko Fukue (Wildlife Community Institute)
Nov. 24 12:30–14:30 Room A-03
- F24-4 **Morphology, now 14**
Hideki Endo. (Univ. Museum, Univ. Tokyo)
Nov. 24 12:30–14:30 Room C-01

- 11:00 22国-1 Analysis of activity rhythm of the nutria using acceleration data-logger
Shinichi Watanabe
Fukuyama Univ.
- 11:15 22国-2 New detection method for some murids with feeding sign from sunflower seeds
*Reiko Ishiwaka, Yasuhisa Masuda
Univ. Kyushu, Fac. Agriculture
- 11:30 22国-3 Population dynamics and demographic parameters of sika deer population under heavy hunting pressures in the northern part of Japan
*Shingo Miura¹, Shin-Ichi Horino², Toru Oi², Seiki Takatsuki³, Teruki Oka², Takashi Yamauchi⁴
Waseda Univ.¹, Forest Res. Institute², Azabu Univ.³, Res. Insitute Environ. Sci. Iwate⁴
- 11:45 22国-4 Estimation of the spatial-temporal population dynamics of sika deer by multi indexes of the density using state-space models
*Yasutaka Kishimoto¹, Daisuke Fujiki^{1,2}, Hiroshi Sakata^{1,2}
Wildlife Management Research Center, Hyogo¹, Univ. Hyogo²
- 13:30 22国-6 Sleep disturbance in Japanese monkey by Sika deer —Deer eat feces of monkey in the night—
*Mari Nishikawa, Koji Mochida
Univ. Kyoto
- 13:45 22国-7 The status of sika deer management in the Nishiokoppe Special Hunting Area
*Hiromasa Igota¹, Yukiko Matsuura², Masatsugu Suzuki³
Rakuno Gakuen Univ.¹, Hokkaido Univ.², Gifu Univ.³
- 14:00 22国-8 Post crash behavior of two contrasting sika deer population: population limitation and regulation
*Koichi Kaji¹, Yuko Yamamoto², Hiroshi Takahashi³, Masami Miyaki⁴
Tokyo Univ. of Agri. & Tec. ^{1,2}, FFPRI Kansai branch³, Rakuno Univ. ⁴
- 14:15 22国-9 Sika Deer Conservation of Yakushima & Kuchinoerabujima Isis. based on Civic Research Activities
*Shirow Tatsuzawa¹, Takashi Kawamura², Kenshi Tezuka³, Yoichi Arata³, Katsuya Kawasaki⁴
Hokkaido Univ.¹, Yakushima Seibutsu-bu², YOCA ³, Yakushima-cho ⁴

- 11:00 22A-1 The status of the Japanese black bear suggested by the mitochondrial DNA and the MHC gene analyses
*Yoshiki Yasukochi¹, Shin Nishida¹, Toshifumi Kurosaki², Masaaki Yoneda², Hiroko Koike¹
Univ. Kyushu¹, JWRC²
- 11:15 22A-2 Carbon, nitrogen, and oxygen isotopic compositions of bone collagen and tooth enamel carbonate of the sea otter *Enhydra lutris* from archaeological sites at Adak Island, Aleutian Archipelago
Ame Garong¹, Chizuru Takashima², Shin Nishida¹, Akihiro Kano¹, *Hiroko Koike¹
Kyushu University¹, Saga University²
- 11:30 22A-3 Localization of translocated Y chromosome region in small Indian mongoose
*Asato Kuroiwa^{1,4}, Fumihito Sawaya¹, Katsushi Nakata², Fumio Yamada³, Shintaro Abe², Chizuko Nishida⁴, Yoichi Matsuda⁵
Grad. Sch. Life Sci., Hokkaido Univ.¹, Min. Env.², FFPRI.³, Grad. Sch. Sci., Hokkaido Univ.⁴, Grad. Sch. Life Agr., Nagoya Univ.⁵
- 11:45 22A-4 Conservation Genetics of the Japanese Marten (*Martes melampus*)
*Jun J. Sato¹, Shumpei P. Yasuda², Tetsuji Hosoda³
Dept. Biotech., Fukuyama Univ.¹, Dept. Microbiol., Hokkaido Univ.², Wakayama Taikyu High School³
- 12:00 22A-5 The oldest colobine fossils in Southeast Asia
*Masanaru Takai¹, Thaung-Htike², Zin-Maung-Maung-Thein¹, Naoko Egi¹, Takeshi Nishimura¹
Primate Res. Inst., Kyoto Univ.¹, Shwebo Univ. (Myanmar)²
- 13:30 22A-6 Variation of the number of the vertebrae in Lagomorpha
*Hayatoshi Hirata¹, Shin-ichiro Kawada², Osamu Hoson³, Yoshisa Mori¹
Teikyo Univ. Science & Technology¹, National Museum of Nature and Science, Tokyo², Nagoya Uni.³
- 13:45 22A-7 Relationship between the elbow joint angle and the skeletal morphology in inversed quadrupedalism
*Shin-ichi Fujiwara, Hideki Endo
Univ. Museum, Univ. Tokyo
- 14:00 22A-8 Piglet's choices of teat position on wild pigs and primitive domestic pigs in Asia
*Yaetsu Kurosawa¹, Kazue Tanaka²
The Cattle Museum¹, Tokyo Univ. of Agri.²
- 14:15 22A-9 Common characteristics of debarking and twig cutting by the rat, *Rattus rattus* complex
*Tatsuo Yabe¹, Takuma Hashimoto², George A. Rivera³
Trop. Rat Contr. Comm.¹, Japan Wildl. Res. Cent.², Philip Wood³

- 9:00 23国-1 Effects of different frequency of deer foraging on herbaceous communities in open site
*Atushi Takayanagi¹, Roku Goda²
Kyoto Univ.¹, Asahi Shimbun Co.²
- 9:15 23国-2 Studies on the ecology and roosting behavior of Ussuri tube-nosed bat, *Murina ussuriensis*, based on the use of dead-leaf *Mallotus japonicus* traps
*Kimitake Funakoshi¹, Kenta Nagaoka¹, Kouhei Takeyama¹, Madoka Indou²
Int. Univ. of Kagoshima¹, Kagoshima Univ.²
- 9:30 23国-3 Population parameter estimates for Japanese Northern Bat *Eptesicus japonensis*, on Norikura Highland in Nagano Prefecture
Terumasa Yamamoto
Gifu Prefectural Tokikoryo High School
- 9:45 23国-4 Damage control of Japanese Pipistrelle
Nobusuke Nishi
- 10:00 23国-5 The study of life history of *Glirulus japonicus* using nest boxes
*Shusaku Minato^{1,2}, Manami Iwabuchi^{1,2}, Aiba Haruka^{1,2}, Chise Minato²
Dormouse Museum¹, The Japanese Dormouse Preservation & Research Group²
- 10:15 23国-6 Food habits of Japanese marten in suburban areas
Kyoko Sakakida
Ryukoku Univ.

- 9:00 23A-1 Adaptive deer management model in Yakushima Island
*Hiroyuki Matsuada¹, Aomi Ohta²
Yokohama National University¹, Fuefuki-shi²
- 9:15 23A-2 Autumn food habits and movements of Asiatic black bears in Toyama prefecture
*Isao Arimoto¹, Yusuke Goto², Chika Nagai¹, Kengo Furubayashi³
Tokyo Univ. of Agri. and Tech.¹, Tateyama Caldera Sabo Museum², Ptarmigan protection study group³
- 9:30 23A-3 Improvement of the harvest based estimation of a brown bears population by applying an independent estimation
*Tutomu Mano¹, Hiroyuki Matsuda², Shosuke Natsume¹, Hifumi Tsuruga¹
Hokkaido-IES¹, Yokohama National Univ.²
- 9:45 23A-4 Sizes and shapes of gaps large enough for masked palm civets (*Paguma larvata*) to enter—Effect of optical factors—
*Chihiro Kase¹, Yusuke Eguchi², Masuo Furuya³, Katsuji Uetake¹, Toshio Tanaka¹
Grad sch vet sci, Azabu Univ¹, WeNARC², Saitama AFRC.³
- 10:00 23A-5 Characteristics of carbon and nitrogen stable isotope ratios of the Japanese macaque hairs
*Toru Oi¹, Hironori Seino², Shin'ichiro Hamazaki²
FFPRI¹, WMO²
- 10:15 23A-6 Population dynamics of hybrid monkeys between two Sulaewsi macaque species
Watanabe Kunio
Primate Res. Inst., Kyoto Univ.

- 10:00 24国-1 Sightability of aerial surveys for sika deer (*Cervus nippon*)
*Hiroyuki Uno¹, Tosio Kurumada¹, Yoshihiro Inatomi¹, Katsumi Tamada¹, Koichi Kaji²
Hokkaido Inst. Environmental Sciences¹, Tokyo Univ. Agriculture and Technology²
- 10:15 24国-2 Analysis of factors affecting rice crop damage by sika deer in a landscape context in the Boso Peninsula
*Mayura Takada¹, Maki Suzuki², Keiji Ochiai³, Masahiko Asada³, Tadashi Miyashita²
Obihiro Univ.¹, Univ. Tokyo², Natural history Museum and Institute, Chiba³
- 10:30 24国-3 Invention of drop net for deer capture
Yasuyuki Muroyama^{1,2}, Akira Taguchi², Sachiko Nakamura^{1,2}, Yasutaka Kishimoto², Masayoshi Nagamoto³, Tetsuya Matsumoto⁴, Youichi Kitagawa⁴, *Yoshiki Morimitsu^{1,2}
University of Hyogo Wildlife Management Research Center, Hyogo¹, Wildlife Management Research Center, Hyogo², Machine Metallic Industrial Technology Support Center, Hyogo Pref.³, Hyogo Prefectural Institute of Technology⁴
- 10:45 24国-4 Recent status of Uotsuri-jima, Senkaku Island under the introduced goat problem
*Yasushi Yokohata¹, Masatsugu Yokota², Masami Kaneko³, Buho Hoshino³, Takashi Ono⁴, Mai Minamisawa⁴
Grad. Sch. Sci. Eng., Univ. Toyama¹, Fac. Sci., Univ. Ryukyus.², Fac. Env. Syst., Rakuno Gakuen Univ.³, EnVision⁴
- 11:00 24国-5 Designs to Remove the Effect from Body Heating on Temperature Sensor Built in the GPS Housing of GPS3300 Radio-Collar
*Zhaowen Jiang¹, Seiki Takatsuki², Masahiko Kitahara³, Mikio Sugita³
WMO¹, Azabu Univ.², Yamanashi Inst. Envir. Sci.³
- 11:15 24国-6 Reduction of habitat and some characteristics of collected individuals of the endangered Okinawa spiny rat *Tokudaia muenninki*
*Fumio Yamada¹, Norihiro Kawauchi², Katsushi Nakata³, Yuji Miyake³, Sota Fukuchi³, Hiroshi Shichiri³, Sintaro Abe³, Nobuhiko Kotaka¹, Atsushi Takashima⁴, Asato Kuroiwa⁵, Chie Murata⁵
Forestry and Forest Products Res. Inst. (FFPRI)¹, Islands Wildlife Lab.², Naha Office of the Ministry of the Environment³, University of the Ryukyus⁴, Hokkaido University⁵
- 11:30 24国-7 Genetic background of four subspecies of the Japanese hare, *Lepus brachyurus*, by mitochondrial and nuclear loci
*Mitsuo Nunome¹, Harumi Torii², Rikyu Matsuki³, Hitoshi Suzuki¹
Univ. Hokkaido¹, Nara Univ. Education², CRIEPI³

- 10:00 24A-1 Individual Identification of *Mustela itatsi*
*Takeshi Sekiguchi¹, Hiroshi Sasaki², Yoshiko Kurihara¹, Fumiko Sekiguchi¹, Shigeki Watanabe³, Daigo Moriyama⁴, Naoko Kurose⁵, Rikyu Matsuki⁶, Midori Saeki⁷, Koji Yamazaki⁸
Kyushu University¹, Chikushi Jogakuen Univ, Jr. College², Seian Univ. of Art and Design³, Kokusai Kogyo Co., Ltd⁴, Fac. Sci, Kanagawa Univ.⁵, Central Research Institute of Electric Power Industry⁶, National Agriculture and Food Research Organization⁷, Ibaraki Nature Museum⁸
- 10:15 24A-2 Distribution and food habits of Japanese weasels *Mustela itatsi* at Gokayama in Seburi Mountains, Fukuoka
*Hiroshi Sasaki¹, Takeshi Sekiguchi², Shigeki Watanabe³, Yoshiko Kurihara², Fumiko Sekiguchi², Daigo Moriyama⁴, Naoko Kurose⁵, Rikyu Matsuki⁶, Midori Saeki⁷, Koji Yamazaki⁸
Chikushi Jogakuen Univ, Jr. College¹, Fac, Med., Kyushu Univ.², Seian Univ. of Art and Design, Seian Univ. of Art and Design³, Kokusai Kogyo Co., LTD⁴, Fac. Sci., Kanagawa Univ.⁵, CRIEPI⁶, NARC⁷, Ibaraki Nature Museum⁸
- 10:30 24A-3 The Effects of the Fence on the Prevention of Activities by Introduced Mongoose (Class Mammalia)
*Yasuo Iijima¹, Norihiro Kawauchi², Katsuhiro Yamashita², Natsuki Kosaka², Mio Kobayasi², Satoru Morita²
Yachiyo Engineering Co., Ltd Kyusyu Branch office¹, Yachiyo Engineering Co., Ltd Okinawa office²
- 10:45 24A-4 Effects of high deer density on raccoon dog food resources in Oku-Nikko, Japan
*Yoshikazu Seki¹, Masaaki Koganezawa²
Tokyo Univ. Agri. Tech¹, Utsunomiya Univ. Forest.²
- 11:00 24A-5 Acoustic behavior of short-finned pilot whales off northern Okinawa Island
*Fumio Nakahara¹, Naoto Higashi², Haruna Okabe³, Hirotohi Emoto⁴, Senzo Uchida⁵
Tokiwa Univ¹, Ocean Expo. Commemorative Park Management Foundation², General Research Center, Ocean Expo. Commemorative Park Management Foundation³, System Intech⁴, Okinawa Churaumi Aquarium⁵
- 11:15 24A-6 Historical distribution changes of the 26 mammal species in Sumatra and its implication for conservation
*Rizaldi^{1,2}, S. N. Kamilah², A. Bakar², M. Mitani³, K. Watanabe¹
Primate Res., Inst., Kyoto Univ.¹, Dep. Biology, Fac. Sciences, Andalas Univ.², Hyogo Pref. Univ.³

- * P-1 Preliminary study on Anal Tonsil in Cetaceans
*Yuko Tajima, Manami Makara, Tadasu K. Yamada
National Museum of Nature and Science
- * P-2 Osteological comparison in spinal column between *Tursiops truncatus* and *T. aduncus*
*Nozomi Kurihara, Tadasu K. Yamada
Natl. Mus. Nat. Sci
- * P-3 The preliminary research of the ontogenetic difference between two subspecies of the West Indian manatee
*Osamu Hoson¹, Shin-ichiro Kawada², Tadasu K. Yamada², Sen-ichi Oda¹
Grad. Sch. Bio. Agr. Sci., Nagoya Univ.¹, Department of Zoology, National Museum of Nature and Science²
- * P-4 Hair ultrastructure of Hippotraginae utilizing stuffed specimens
*Manami Makara, Shinichiro Kawada, Tadasu K. Yamada
National Museum of Nature and Science
- * P-5 Geometric morphometric study of the skull of Japanese serows (*Capricornis crispus*) in Shizuoka prefecture
Hiroshi Fukunaga
Department of Zoology, Kyoto Univ
- * P-6 Morphometrical observation of the skull of Korean water deer, *Hydropotes inermis argyropus*
*Yungkun Kim¹, Ki-jeong Na², Young-jun Kim³, Hang Lee³, Junpei Kimura¹
Laboratory of Veterinary Anatomy, College of Veterinary Medicine, Seoul National Univ., Seoul, Korea¹,
College of Veterinary Medicine, Chungbuk National Univ., Cheongju, Korea², Conservation Genome Resource Bank for Korean Wildlife, College of Veterinary Medicine, Seoul National Univ., Seoul, Korea³
- * P-7 Eruption sequence and eruption times of the teeth in Patas monkey
Yu Okuda
Okayama Univ. Sci
- P-8 The Studies of Cheetah's Run
*Naomi Wada¹, Megumi Goto¹, Yusuke Ikebe², Azusa Satou², Satoshi Une³, Mutsumi Kawata³
The United Graduate School of Veterinary Science, Yamaguchi University¹, Akiyoshida Wild Animal Park², Osaka Veterinary Referral Center³
- P-9 Comparison of feeding ecology and skull morphology between two subspecies of the leopard cat, Iriomote cat *Prionailurus bengalensis* and Tsushima leopard cat *P. b. euphilura* in Japan
*Nozomi Nakanishi, Masako Izawa
Ryukyu Univ
- * P-10 Use of eye lens to estimate age in Small Indian mongoose
*Tomomi Kawano^{1,3}, Katushi Nakata², Koki Hirano¹, Go Ogura¹, Osamu Ishibashi¹
University of Ryukyus¹, Ministry of Environment², Kumamoto agriculture high school³

- * P-11 Cranial geographic variation of the Japanese weasel detected by allometric analysis
*Satoshi Suzuki¹, Masaharu Motokawa²
Dept. Zoology, Grad. Sch. Sci., Kyoto Univ.¹, Kyoto Univ. Museum²
- * P-12 Age Determination of Coypu and Age Structure of Its Population in Aichi Prefecture, Japan
*Keiko Sone¹, Kazuhiro Koyasu², Shuji Kobayashi³, Sen-ichi Oda¹
Grad. Sch. Bio. Agr. Sci., Nagoya Univ.¹, Sch. Dent., Aichi-Gakuin Univ.², Fac. Sci., Okayama Univ. Sci.³
- * P-13 Geographic variation of external and skull morphology of small Japanese field mouse, *Apodemus argenteus*
*Yuta Shintaku¹, Masaharu Motokawa²
Dep. Zool., Grad. Sch. Sci., Kyoto Univ.¹, Kyoto Univ. Museum²
- * P-14 Craniodental mechanics and orbit angles of two sympatric callosciurine squirrels in Vietnam
*Daisuke B. Koyabu¹, Akiko Hayashida², Hideki Endo²
Grad. Sci., Univ. Tokyo/JSPS¹, Univ. Museum, Univ. Tokyo²
- P-15 Foramen magnum angle and its effect on visual field in two *Apodemus* murids
*Kazuhiko Satoh, Yasutoku Kogaya, Kin-ya Kubo, Sadakazu Ejiri
Dept. Oral Anat., Asahi Univ. Sch. Dent
- P-16 A morphological comparison between *Apodemus semotus* in Taiwan and *A. draco* in China
Yukibumi Kaneko
502-4, Takayacho, Sakaide, Kagawa, 762-0017, Japan
- P-17 Kinematic studies of mole's locomotion
*Megumi Goto, Naomi Wada
The United Graduate School of Veterinary Science, Yamaguchi University
- * P-18 A relationship between variations of tail width and histological differences in the greater Japanese shrew-mole
*Koichiro Shirai, Masahiro A. Iwasa
Grad. Sch. Bioresour. Sci., Nihon Univ
- P-19 Macroscopic and three-dimensional CT image examinations of the mastication system in the giant anteater
*Hideki Endo¹, Shin-Ichiro Kawada², Teruyuki Komiya³, Hiroshi Koie⁴
Univ. Museum, Univ. Tokyo¹, Dept. Zool., Natl. Mus. Nat. Sci.², Ueno Zool. Gardens³, Dep. Vet. Int. Med, Nihon Univ.⁴
- P-20 Population genetic structure of Asian blackbear at local scale in Yamagata, northern Japan
*Reina Uno¹, Naoki Ohnishi², Hideo Higashi³, Hidetoshi B. Tamate⁴
Institute of Advanced Biosciences¹, Forestry and Forest Products Research Institute², Yamagata Wildlife Association³, Yamagata Univ.⁴
- P-21 Population genetics analysis of a Japanese black bear population in Shimokita Peninsula
*Toshiaki Yamamoto¹, Yuri Okumura¹, Hirohisa Tanaka¹, Nozomi Takatsudo¹, Teruki Oka²
Nippon Veterinary and Life Science University¹, Forestry and Forest Products Research Institute²

- * P-22 Monitoring of behavior and body temperature during hibernation in captive Asiatic black bear
Takuro Yoshimoto, *Michito Shimozuru, Toshio Tsubota
Hokkaido Univ
- * P-23 Ancient DNA Analysis for the Sea Otter from Archaeological Sites on Adak, Aleutian Islands
*Shin Nishida¹, Dixie West², Susan Crockford³, Hiroko Koike¹
Kyushu Univ.¹, University of Kansas², Pacific Identifications Inc.³
- * P-24 Phylogenetic history of mustelids in Taiwan inferred from mitochondrial DNA
*Tetsuji Hosoda¹, Jun Sato², Lian-Kong Lin³, Yen-Jean Chen⁴, Masashi Harada⁵, Masahiro Iwasa⁶,
Hitoshi Suzuki⁷
Taikyū H. S.¹, Fukuyama Univ. Biotech.², Tunghai Univ. Life Sci.³, Nat. Mus. Natl Sci.⁴, Osaka City
Univ. Med.⁵, Nihon Univ. Biores. Sci.⁶, Hokkaido Univ. Earth Env. Sci.⁷
- * P-25 Mitochondrial DNA analysis of Raccoons (*Ploceon lotor*) in Kyoto, and Fukui Prefectures
*Yuji Oikawa¹, Yuzo Takada², Kazuki Niwa¹
Toho Univ.¹, National Defense Medical College²
- * P-26 Seasonal change of plucked hair sample type of Asiatic black bear (*Ursus thibetanus*) and
reliability of genotyping
*Mami Kondo¹, Kiyoshi Yamauchi², Tsunenori Tsujimoto³, Hidetoshi Tamate⁴, Masaaki Yoneda⁵,
Makoto Asano¹, Masatsugu Suzuki¹
Gifu Univ.¹, Reseach Institute for Environment Sciences and Public Health of Iwate Prefecture², Morioka
Zoological Park³, Yamagata Univ.⁴, JWRC⁵
- * P-27 Microsatellite analysis on Eurasian badger populations
*Sara Tashima¹, Yayoi Kaneko², Alexei Abramov³, Ryuichi Masuda¹
Hokkaido Univ.¹, Tokyo Univ. of Agri. and Tech.², Zool. Inst. Russian Acad. of Sci.³
- * P-28 The phylogeographic evolution of the least weasel *Mustela nivalis*
*Naoko Kurose¹, Kirk Yu-Teh Lin²
Department of Biological Sciences, Faculty of Science, Kanagawa University¹, Institute of Ecology and
Evolutionary Biology, National Taiwan University²
- * P-29 Establishment of methods for polymorphic analysis using microsatellite markers in small Asian
mongoose and investigation of the genetic structure of its Okinawa Island population
*Shoko Tamanaha¹, Hironori Iwasaki², Go Ogura³, Osamu Ishibashi³, Hirosuke Oku²
Yamaguchi Univ.¹, University of the Ryukyus Tropical Biosphere Research Center, Center of Molecular
Bioscience², Laboratory of subtropical zoology, Faculty of Agriculture University of the Ryukyus³
- P-30 Possible introgression of porcine genes to wild boar in Tohoku
*Mitsue Kaizu¹, Hidetoshi Tamate²
Yamagata Univ.¹, Yamagata Univ.²
- * P-31 Phylogenetic evolution of Asiatic elephant based on mitochondrial genome
*Takahiro Yonezawa¹, Sri Sulandari², M. S. A. Zein², Masami Hasegawa¹
School of Life Sciences, Fudan University¹, Zoology, Research Center for Biology, LIPI²

- P-32 Distribution history and Genetic structure of Taiwanese macaques (*Macaca cyclopis*) in Izu-Oshima Island
*Mami Saeki¹, Yoshi Kawamoto², Sakie Kawamoto², Kei Shirai¹, Aki Kawamura¹
Wildlife Management Office Inc¹, Primate Research Institute, Kyoto Univ²
- P-33 Development of a screening method of Y chromosomal STR polymorphism by direct PCR from crude blood and its application to the monitoring of hybridization between Japanese and foreign macaques in Japan
*Yoshi Kawamoto, Azusa Saito, Sakie Kawamoto
Primate Research Institute, Kyoto Univ
- P-34 Differences in Distribution of Y-chromosome Haplotypes, among groups of hamadryas baboon
*Akihiro Yamane¹, Takayoshi Shotake², Akio Mori², Hideki Sugiura³, Ahmed Boug⁴, Toshitaka Iwamoto⁵
Kitakyushu Museum¹, PRI, Kyoto Univ.², WRC, Kyoto Univ.³, NWRC, Saudi Arabia⁴, Miyazaki Univ.⁵
- * P-35 Study on species identification of *Callosciurus* squirrels introduced into Japan: Is there *C. finlaysonii* in Shizuoka Prefecture?
*Takuya Kuramoto¹, Hitomi Ikeda¹, Harumi Torii², Tatsuo Oshida¹
Obihiro Univ. of Agriculture and Veterinary Medicine, Lab. of Wildlife Ecology¹, Center for Natural Environment Education, Nara Univ. of Education²
- * P-36 Relationship between aggregation of mouse sperm and their fertility
*Yuki Hosokawa¹, Akira Sawaguchi², Akio Shinohara¹, Chihiro Koshimoto¹
Frontier Science Research Center, Univ. Miyazaki¹, Dept. Anatomy, Fac. Medicine, Univ. Miyazaki²
- * P-37 The Effects of Thyroxine on HP Rhythm of Hibernator and Non-Hibernator in Chipmunks
*Masahiro Shigeno¹, Haruka Maruyama², Hiroko Ishiniwa¹, Noriaki Kondo³, Tsuneo Sekijima¹
Grad Sch of Sci and Tech, Niigata Univ.¹, Fac of Agr, Niigata Univ.², Tamagawa Univ.³
- * P-38 The large X and Y chromosomes in Okinawa spiny rat *Tokudaia muenninki*
*Chie Murata¹, Fumio Yamada², Norihiro Kawauchi³, Katsushi Nakata⁴, Shintaro Abe⁴, Yoichi Matsuda⁵, Asato Kuroiwa^{1,6}
Grad. Sch. Life Sci., Hokkaido Univ.¹, FFPRI², Island. Wildlife Lab.³, Min. Env.⁴, Grad. Sch. Life Agr., Nagoya Univ.⁵, Grad. Sch. Sci., Hokkaido Univ.⁶
- * P-39 Population history of the large Japanese wood mouse, *Apodemus speciosus*: ancient expansion, chromosomal rearrangement, and interisland gene flow
*Morihiro Tomozawa¹, Hitoshi Suzuki², Kazumi Matsubara³, Youichi Matsuda⁴
Univ. Hokkaido¹, Univ. Hokkaido², Nagoya City Univ.³, Nagoya, Univ.⁴
- * P-40 Estimation of *Apodemus speciosus* and *A. argenteus* gene flow in a native beech forest, northern Ohu mountains
*Yuta Takano, Mizuki Inoue, Kazuhiko Hoshizaki
Bio. Res, Akita Pref. Univ
- * P-41 Profiles of spontaneous daily torpor in the large Japanese field mouse *Apodemus speciosus*
*Takeshi Eto¹, Ayano Oka², Chihiro Koshimoto³, Akio Shinohara³, Toshihiro Takahashi², Tetsuo Morita²
Grad. Sch. Agric., Univ. Miyazaki¹, Fac. Agric., Univ. Miyazaki², Frontier Sci. Res. Ctr. Univ., Miyazaki³

- * P-42 Origin of unknown specimens from pet shops in South Korea and population structure of Siberian chipmunks
 *Mu-Yeong Lee¹, Yun-Sun Lee¹, Andrey A. Lissovsky², Ya-Ping Zhang^{3,4}, Li Yu^{3,4}, Inna Voloshina⁵, Mi-Sook Min¹, Hang Lee¹
 Conservation Genome Resource Bank for Korean Wildlife, BK21 program for Veterinary Science and College of Veterinary Medicine, Seoul National University¹, Zoological Museum of Moscow State University², Laboratory for Conservation and Utilization of Bio-resource, Yunnan University³, State Key Laboratory of Genetic Resource and Evolution, Kunming Institute of Zoology⁴, Lazovsky State Nature Reserve⁵
- * P-43 The karyotype of *Blarinella griselda* from Ailao Shan, Yunnan, China
 *Junji Moribe¹, Jiang Xuelong², Lian-Kong Lin³, Yu-Cheng Chang³, Shuji Kobayashi⁴, Sen-ichi Oda¹
 Graduate School of Bioagricultural Sciences, Nagoya University¹, Kunming Institute of Zoology, Chinese Academy of Sciences², Department of Life Science, Tunghai University³, Department of Zoology, Okayama University of Science⁴
- * P-44 Opsin gene of mole and shrew mole
 *Akio Shinohara, Chihiro Koshimoto
 Frontier Science Research Center, Univ. Miyazaki
- * P-45 Development and inheritance of missing upper third incisor in SUNCUS
 *Takamichi Jogahara^{1,2}, Kazuhiro Koyasu³, Hajime Hanamura³, Sen-ichi Oda¹
 Grad. Sch. Bio-Agr. Sci., Nagoya Univ.¹, Fac. Sci., Okayama Univ. Sci.², Sch. Dent., Aichi-Gakuin Univ.³
- * P-46 Average within-colony relatedness in the common Japanese pipistrelle (*Pipistrellus abramus*) estimated by microsatellite analysis
 *Yoko Ando¹, Kazuki Suda², Hisao Tamura³, Tosiya Sato⁴
 Lab. of Wildlife Conservation, United Graduate Sch. of Agricultural Science, Tokyo Univ. of Agriculture and Technology¹, Forest Ecology Lab., Fac. of Geo-environmental Science, Ritssho Univ.², Bat Study and Conservation group of Japan³, Lab. of Behavioral Biology, Fac. of Agriculture, Tokyo Univ. of Agriculture and Technology⁴
- * P-47 Sex-specific dispersal pattern in Japanese black bears
 *Yuri Okumura¹, Toshiaki Yamamoto¹, Teruki Oka²
 Nippon Veterinary and Life Science Univ.¹, Forestry and Forest Products Research Institute²
- * P-48 Comparison of the individual bear's annual home range use, in Kitakami highland
 *Hirokazu Takahashi¹, Kouji Harashina², Toshiki Aoi²
 United Graduate School of Agricultural Sciences
- * P-49 How far do bears disperse seeds?
 *Shinsuke Koike¹, Takashi Masaki², Yui Nemoto¹, Chinatsu Kozakai¹, Ami Nakajima¹, Koji Yamazaki³, Koichi Kaji¹, Shinsuke Kasai⁴
 Tokyo Univ. Agr. and Tech.¹, FFPRI², Ibaraki Nature Museum³, Shiretoko Nature Foundation⁴

- P-50 Winter denning of Asiatic black bears in the Tsurugi Mountains, Shikoku
*Bungo Kanazawa¹, Koji Yamasaki¹, Toru Ito², Hidenori Kusakari³
Sikoku Inst. Nat. Hist¹, Kochi Univ², WWFJapan³
- * P-51 The food habit of Japanese black bears in Shirakawa-Village area, Gifu prefecture
*Makoto Kato¹, Rina Sugiura¹, Akihisa Abe¹, Ryota Kato¹, Yasutosi Hayashi¹, Haruki Kato²,
Yasuaki Niizuma¹
Meijyo Univ¹, TOYOTA Shirakawa-Go Eco-Institute²
- P-52 Growth and Morphological Characteristics of Japanese black bear (*Ursus thibetanus japonicus*)
in Hyogo, Japan
*Sachiko Nakamura¹, Mayumi Yokoyama¹, Yoshiki Morimitsu¹, Atsushi Katayama², Erina Saita³
Institute of Natural and Environmental Sciences University of Hyogo / Wildlife Management Research
Center, Hyogo¹, Wildlife Management Office Kansai Branch², Wildlife Management Research Center,
Hyogo³
- * P-53 How do bears manage in a food shortage year?
*Chinatsu Kozakai¹, Koji Yamazaki², Yui Nemoto¹, Ami Nakajima¹, Shinsuke Koike¹, Koichi Kaji¹
Tokyo University of Agriculture and Technology¹, Ibaraki Nature Museum²
- * P-54 Field application of individual identification technique of nuisance black bears using extracted
DNA from damaged crops
*Masae Saito¹, Kiyoshi Yamauchi², Toshiki Aoi³, Koichi Kaji¹
Tokyo Univ. of Agri. and Tech.¹, Research institute for Environmental Science and Health of Iwate
Prefecture², Iwate Univ.³
- P-55 Genetic tracking of Japanese black bear (*Ursus thibetanus japonicus*) during four years in
Omyojin experimental forest of Iwate University
*Kiyoshi Yamauchi¹, Mami Kondo², Shigekazu Kurakake¹, Masae Saito³
Research Institute for Environmental Sciences and Public Health of Iwate Prefecture¹, Gifu Univ.²,
Tokyo Univ. of Agri. and Tech.³
- P-56 A trial of the brown bear population estimate using hair-snagging method in the Kameda
Peninsula area of the Oshima Peninsula, Hokkaido
*Hifumi Tsuruga¹, Kohji Yamamura², Masaaki Tomizawa³
HIES¹, NIAES², Hokkaido gov.³
- P-57 Vertebrate fauna recorded with automatic cameras at Mt. Yui, a mongoose free area on
Amami-oshima Island, southwestern Islands of Japan
*Ken Ishida¹, Takeshi Kuraishi², Shosaku Hattori²
Graduate School of Agricultural and Life Sciences¹, The Institute of Medical Science²
- P-58 Sett-site resource partitioning for two sympatric species of badger (*Arctonyx collaris*, *Melogale
moschata*) in central China
Liang Zhang¹, You-Bing Zhou², Chris Newman³, *Yayoi Kaneko⁴, David W. Macdonald³,
Ping-Ping Jiang¹, Ping Ding¹
Zhejiang University¹, Chinese Academy of Sciences², University of Oxford³, Tokyo University of
Agriculture and Technology⁴

- * P-59 Brown bear scat density and food habits in core and periphery
*Yoshikazu Sato¹, Kyoko Kobayashi², Konosuke Nishiyama¹, Hidetsugu Nakamura¹, Tetsuji Itoh¹,
Tsuyoshi Urata³
Nihon Univ.¹, Tokyo Univ. Agri. Tech.², Urahoro Brown Bear Research Group³
- * P-60 Variations in homerange in autumn of Asiatic Black Bears in Shirakawa-Go, Gifu
*Rina Sugiura¹, Makoto Katou¹, Akihisa Abe¹, Makoto Asano², Haruki Katou³, Hiroshi Hashimoto¹,
Yasuaki Niizuma¹
Meijo Univ.¹, Gifu Univ.², Forum for Environmental Symbiosis in Shirakawa-Go³
- P-61 Annual changes in the behavior of the female Asiatic black bear in warm-temperate forest
Nishi Nobusuke¹, *Hirata Shigeki², Yamamoto Fukuju³
Tottori pref.^{1,2}, Tottori univ.³
- * P-62 Habitat use of red deer and their effect on forest vegetation in Hustai National Park, Mongolia
*Ryosuke Koda¹, Amartuvshin Sumiya², Noboru Fujita¹
CER, Kyoto University¹, Institute of Geocology, MAS²
- P-63 Disappearance rate of sika deer fecal groups
Shin-Ichi Horino
FFPRI Tohoku
- * P-64 Estimates of calving season and location of sika deer in Oku-Nikko Japan
*Chizuru Iwamoto¹, Naoko Matsuda², Tetsuya Maruyama³, Masaaki Koganezawa⁴
Utsunomiya Univ. Agr. Lab. Wildlife¹, Tochigi Pref.², Tochigi Pref.³, Utsunomiya Univ. Agr. Forests⁴
- * P-65 A Feeding Activity Pattern of sika deer by baited camera trap method
*Kyoko Honda¹, Masanobu Yamane², Yusaku Yamada¹, Zhaowen Jiang¹
Wildlife Management office, Inc.¹, Research Division, Kanagawa Natural Environment Conservation
Center²
- P-66 Prevention of sika deer intrusion into pastures using two types of electric fences
*Hideharu Tsukada¹, Keisuke Ishikawa¹, Masahiko Takeuchi², Yuko Fukue³, Masato Minami^{3,4},
Yoshio Nakamura⁵, Yasuko Hanafusa⁵, Michiru Fukasawa¹, Norihiro Shimizu⁶
NILGS¹, NARC², Wildlife Community Inst.³, Azabu Univ.⁴, NIAH⁵, Kouzu Dairy Farm⁶
- P-67 The impact of human activities on deer distribution and abundance in Tanzawa Mountains,
Kanagawa, JAPAN
*Toru Suzuki¹, Masanobu Yamane², Hiroshi Sasakawa³
Rakuno Gakuen Univ.¹, Kanagawa Pref. Natural Environment Conservation Center², National Institute
for Environmental Studies³
- * P-68 Daily activity and pattern of human-dependent sika deer (*Cervus nippon yesoensis*) in
Nakanosima Island of Lake Toya
*Seiichiro Tsuchiya¹, Tsuyoshi Yoshida¹, Hiromasa Igota¹, Yukiko Matsuura², Hiroshi Takahashi³,
Kouichi Kaji⁴
Univ. Rakuno¹, Univ. Hokkaido², FFPRI³, Tokyo Univ Agri Tech⁴

- P-69 Birth site selection by Hokkaido sika deer (*Cervus nippon yesoensis*)
*Yukiko Matsuura¹, Hiromasa Igota²
FSC, Hokkaido Univ.¹, Rakuno Gakuen Univ.²
- * P-70 Brown bear predation on sika deer fawns following deer population growth
*Kyoko Kobayashi¹, Yoshikazu Sato²
Tokyo Univ. of Agriculture and Technology¹, Nihon Univ.²
- * P-71 Seasonal Variation of Deer-Vehicle Collision Sites
*Misako Noro^{1,2}, Takane Shikano¹, Fumihiro Hara¹, Toru Hagiwara²
Hokkaido Development Engineering Center¹, Univ. Hokkaido²
- * P-72 An Experiment on Deer Repellent Frequency
*Takane Shikano¹, Misako Noro¹, Akira Yamakawa², Keishi Yoshida³
Hokkaido Development Engineering Center¹, Hokkaido Polytechnic College², The Hokkaido Shimbun Press Culture Center³
- P-73 Seasonal changes in voluntary food intake of Japanese serow in captivity
*Yusaku Yamada¹, Koichi Murata²
Wildlife Management Office¹, Nihon Univ.²
- P-74 Wild Boar Preference between Two Temperate Grass Species
*Hironori Ueda, Masateru Inoue, Yusuke Eguchi
National Agricultural Research Center
- P-75 A study of crop damage and risk by wild boar in the Satoyama landscape in Tochigi prefecture, Japan
*Toshimori Takahashi¹, Kana Nomoto², Masaaki Koganezawa³
Satoyama Science Research Center, Utsunomiya Univ.¹, Utsunomiya Univ.², Univ. Forests, Utsunomiya Univ.³
- * P-76 Relationships between Land use and environmental characteristics at the points of agricultural damage by wild boar in Motegi-town, Japan
* Kana Nomoto¹, Toshimori Takahashi², Masaaki Koganezawa³, Kazunari Fukumura⁴
Utsunomiya Univ.¹, Satoyama Science Research Center, Utsunomiya Univ.², Univ. Forests, Utsunomiya Univ.³, Utsunomiya Univ.⁴
- P-77 Seasonal movements of Tibetan antelope (*Pantholops hodgsoni*) as revealed by satellite telemetry system
*Tsuyoshi Yoshida¹, Buho Hoshino¹, S. Ganzorig¹, Hiromasa Igota¹, Masami Kaneko¹, Koichi Kaji², Z. Jiang³, X. Wu⁴
Rakuno Gakuen Univ.¹, Tokyo Univ. of Agri.and Tech.², WMO³, Xiang Endangered Species Research Center⁴
- P-78 The Formosan sika deer, the trade of a trading ship authorized by the shogunate and the status of sika deer in 1600s
*Takeshi Akasaka¹, Hiromasa Igota¹, Atuyo Hisai², Ayako Abe¹
Rakuno Gakuen University¹, Hokkaido University²

- P-79 Choice test between green vegetables and wild grasses in Japanese wild boars
*Yusuke Eguchi¹, Aya Kuriki², Masateru Inoue¹, Hironori Ueda¹, Katsuji Uetake², Toshio Tanaka²
WeNARC¹, Azabu Univ.²
- P-80 Habitat fragmentation of large wild herbivores by a railroad and the border in Mongolia
*Takehiko Y. Ito¹, B. Lhagvasuren², B. Buuveibaatar², B. Chimeddorj³, Seiki Takatsuki⁴,
Atsushi Tsunekawa¹
Tottori Univ.¹, Mongolian Academy of Sciences², WWF Mongolia³, Azabu Univ.⁴
- * P-81 Distribution patterns of mammals in Akiyama region, Nagano prefecture
Riyou Tsujino
RIHN
- * P-82 Diversity and distribution of winter food resources for Japanese monkeys among the cedar plantations in cool temperate region
*Haruka Sakamaki¹, Hiroto Enari², Toshiki Aoi³
UGAS Iwate univ.¹, PRI Kyoto univ.², Iwate univ.³
- * P-83 Influences of Japanese monkeys on the distribution and morphology of mulberry trees
*Hiroto Enari¹, Haruka Sakamaki²
PRI, Kyoto Univ.¹, Iwate Univ.²
- * P-84 Infant Development of Sichuan Golden Monkey (*Rhinopithecus roxellana*) in Nagoya Higashiyama Zoo
*Takushi Yokoyama¹, Satoshi Kusuda², Keiko Sone¹, Osamu Hoson¹, Junji Moribe¹, Hideaki Takahashi³,
Hiroshi Kobayashi³, Sen-ichi Oda¹
Grad. Sch. Bio. Agr. Sci., Nagoya Univ.¹, Fac. Appl. Biol. Sci., Gifu Univ.², Nagoya Higashiyama Zoo³
- P-85 Vegetation management for improvement of Japanese macaque (*Macaca fuscata*) habitat in high proportion artificial forest area
*Akira Chijiiwa¹, Akisato Nishimura²
LAGO CO., LTD¹, Doshisha Univ.²
- * P-86 Feeding habits of spotted seals during winter in Hokkaido
*Natsuki Watanabe¹, Mari Kobayashi²
Tokyo University of Agriculture and Technology¹, Tokyo University of Agriculture²
- * P-87 Topographical characteristics of the home range border of the Tsushima leopard cat *Prionailurus bengalensis euptilurus* on Tsushima Islands, Japan
*Ayumi Teranishi¹, Masako Izawa¹, Teruo Doi², Daisuke Araki¹
University of the Ryukyus, Faculty of Science¹, Fukuoka city²
- * P-88 Effects by artificial habitat change on habitat utilization of the Tsushima leopard cat, *Prionailurus bengalensis euptilurus*, in Tsushima Islands, Japan
*Daisuke Araki, Ayumi Teranishi, Masako Izawa
Univ. Ryukyus

- P-89 Artificial disturbance by the land development activity on the home range of the female Tsushima leopard cat, *Prionailurus bengalensis euptilurus*, on Tsushima Islands, Japan
*Dae-hyun Oh, Shusaku Moteki, Masako Izawa
Laboratory of Ecology and Systematics, Faculty of Science, University of the Ryukyus
- * P-90 Facility with electrical wire to prevent Masked Palm Civet damage in cherry farm
*Yumi Endo¹, Masahiko Takeuchi², Masuo Furuya³, Motokazu Ando⁴, Takeshi Yasue¹, Yasuo Matsuzawa¹
Lab. Applied Anim. Etho., Ibaraki Univ.¹, Wildl. Manage. Lab., Nat. Agric. Res. Org.², Saitama Pref. Agric. Forest Res. Center³, Lab. of Wild Anim., Fac. Agric., Tokyo Univ. Agric.⁴
- P-92 Distribution and population structure of the alien species American mink *Neovison vison* in Nagano, Japan
*Yuko Fukue¹, Emiko Ashida¹, Miyuki Sato¹, Ryosuke Kishimoto²
Wildlife Community Institute¹, Nagano Environmental Conservation Research Institute²
- * P-93 Diet of the mink and the sable in the Kushiro Wetland, Hokkaido, Japan
*Tsuayoshi Takeshita¹, Shirow Tatsuzawa¹, Tohru Ikeda¹, Yukari Shimatani², Ryuichi Masuda²
Graduate School of Letters, Hokkaido University¹, Graduate School of Science, Hokkaido University²
- P-94 Food selection in Ezo red fox
*Akira Kondo, Saiko Siraki
Faculty of Bioproduction, Tokyo University of Agriculture
- P-95 Distribution and status of feral raccoon in Nagoya city, Japan
*Aruma Kawabata¹, Takeshi Fujitani², Keiko Sone¹, Osamu Hoson¹, Junji Moribe¹, Sen-ichi Oda¹
Grad. Sch. Bio. Agr. Sci., Nagoya Univ.¹, Nagoya Higashiyama Zoo²
- P-96 Current situation of invasive alien raccoons and challenges in the Shiretoko Peninsula
*Tohru Ikeda, Ken-ichiro Shimada
Hokkaido Univ
- P-97 A trial of the Conservation of raccoon dog (*Nyctereutes procyonoides*) on Road construction with Environment-friendliness
*Akiko Hasegawa^{1,2}, Sen-ichi Oda¹, Toshio Tanaka²
Nagoya Univ. Agr.¹, Azabu Univ.²
- P-98 Possible effect of brown bear predation on sika deer newborn survival in the high density brown bear population area in Shiretoko Peninsula, Hokkaido
*Masami Yamanaka¹, Kyouko Kobayashi²
Shiretoko Nature Foundation¹, Tokyo Univ. of Agricultural and Technology²
- P-99 Improvement of the long term monitoring method of mustelids on Shiretoko Peninsula
*Takahiro Murakami¹, Hajime Nakagawa¹, Masami Yamanaka², Hideaki Okada³, Yasushi Masuda²
Shiretoko Museum¹, Shiretoko Nature Foundation², Shari Town Office³

- P-100 Movement biology of spotted seals
*Mari Kobayashi⁵, Yasuo Kouno², Miyuki Ito³, Mio Kato¹, Masahiro Kiuchi¹, Mio Shibuya¹, Yasuhiro Fujimoto⁴, Kikuo Kato⁵
Tokyo univ. of Agr.¹, Free investigator in Yagishiri², Free investigator in Bakkai³, Hokkido Univ.⁴, Marine Wildlife Center of JAPAN⁵
- * P-101 Parameters affecting to inhabitation of *Ochotona hyperborea yesoensis* in low altitudal areas
*Asumi Ieiri, Shuhei Sato, Hisashi Yanagawa
Obihiro Univ. of Agriculture and Veterinary Medicine, Lab. of Wildlife Ecology
- * P-102 Extranidal activities of *Ochotona hyperborea yesoensis* in the low altitudinal area
*Shuhei Sato, Hisashi Yanagawa
Obihiro Univ. of Agriculture and Veterinary Medicine, Lab. of Wildlife Ecology
- * P-103 Detection of nest sites of Siberian flying squirrels by their feces under the cavity
*Kei Suzuki¹, Sayaka Mori², Eriko Hayashi², Hisashi Yanagawa¹
Obihiro Univ. of Agriculture and Veterinary Medicine Lab. of Wildlife Ecology¹, Univ. of Tokyo Lab. of Biodiversity Science²
- * P-104 Estimation of the Shiberian flying squirrel population in Sakhalin fir-dominated mixed forest
*Manami Suzuki¹, Ami Kato^{1,2}, Kazunobu Iguchi³, Takumi Okahira³, Masaki Matsui³, Tatsuo Oshida¹, Yoshihiro Hayashi⁴
Obihiro Univ. of Agriculture and Veterinary Medicine¹, Kiyosato Educational Experiment Project², University Forest in Hokkaido, The University of Tokyo³, Graduate School of Agriculture and Life Sciences, The University of Tokyo⁴
- * P-105 Preliminary report on the communal nesting of the Siberian flying squirrel
*Yushin Asari¹, Hisashi Yanagawa²
Chodai Co., Ltd.¹, Obihiro Univ.²
- * P-106 Habitat characteristics of Japanese field vole (*Microtus montebelli*) in Siga Prefecture
*Yoshihiro Matsuura¹, Atsushi Takayanagi¹, Shozo Shibata²
Grad. Agr., Kyoto Univ.¹, FSERC., Kyoto Univ.²
- P-108 Homerange of *Glirulus japonicus* in Summer
*Haruka Aiba^{1,2}, Manami Iwabuchi^{1,2}, Shusaku Minato^{1,2}
Keep Japanese Dormice Museum¹, The Japanese Dormice Preservation & Research Group²
- P-109 Selection condition of hibernation and daily torpor place in Japanese dormouse
*Yumena Nakamura¹, Nobuaki Kojo¹, Hidetoshi Tamate²
Science and engineering of Univ. Yamagata¹, Univ. Yamagata²
- * P-110 Hibernaculum of Japanese dormouse, *Glirulus japonicus*
*Manami Iwabuchi^{1,2}, Haruka Aiba¹, Tetsuo Morita², Shusaku Minato¹
KEEP Dormouse museun¹, Miyazaki Univ.²

- * P-111 Effects of different soil environments on distribution pattern of three *Sorex* species
*Yuichirou Nojima, Kiyosi Tsutsuki, Tatsuo Oshida
Obihiro Univ
- P-112 Behaviors of Common Tenrec and Greater Hedgehog Tenrec in lactation period
Ryo Ito
Kyoto Univ
- * P-113 Seasonal changes in mode of subterranean utilization by large Japanese mole
*Atsushi Kashimura¹, Kunihiro Moteki², Akio Shinohara³, Kimiyuki Tsushiya⁴, Toshihito Takahashi⁵,
Tetsuo Morita⁵
Grad. Sch. Agric. Engineer., Univ. Miyazaki¹, Grad. Sch. Agric. Univ. Miyazaki², Frontier Sci. Res. Ctr.,
Univ. Miyazaki³, Applied Biology, Co., Ltd.⁴, Fac. Agric., Univ. Miyazaki⁵
- * P-114 Day roost of Japanese long-eared bat, *Plecotus auritus sacrimontis* inhabiting in the forest
*Satoko Yoshikura¹, Masumi Watanabe², Takashi Kamijo¹, Sachiko Yasui³
Univ. Tsukuba¹, Tokyo Univ. of Agri. and Tech.², Tsukuba Ibaraki³
- * P-115 Population trend of Orii's flying fox, *Pteropus dasymallus inopinatus*, on Okinawa-jima Island in the Ryukyu Archipelago
*Atsushi Nakamoto¹, Akiko Sato¹, Kazumitsu Kinjo², Masako Izawa¹
University of the Ryukyus¹, Okinawa International University²
- * P-116 The effect of forest structure on the activity of insectivorous bats
*Dai Fukui^{1,2}, Hirofumi Hirakawa¹, David A. Hill³
FFPRI¹, JSPS Research Fellow², Univ. Sussex³
- * P-117 Bonin flying fox males exploit female warming clusters for mate guarding
*Norimasa Sugita¹, Keisuke Ueda²
Rikkyo Univ¹, Rikkyo Univ.²
- * P-118 Postnatal growth and vocal development in the Endo's pipistrelle (*Pipistrellus endoi* Imaizumii), in Mt. Garyu, Hiroshima Pref., Japan
*Yuuki Kawata¹, Mari Ishida², Sumiko Matsumura¹
Graduate School of Sci. and Engineering, Yamaguchi Univ.¹, Graduate School of Sci. and Engineering,
Yamaguchi Univ. & Akiyoshi-dai Mus. Nat. Hist.²
- P-120 Bats survey in the Shiretoko Peninsula, Hokkaido
*Norihisa Kondo¹, Naoko Sasaki², Shohtarō Sugai³
Nemuro Mus. Hist. Nat.¹, Gunma Mus. Nat.², Tokyo. U. Agr.³
- * P-121 Small Mammal Fauna in Okayama Prefecture
*Takashi Yokoyama¹, Shuji Kobayashi², Akira Yabuki³
Okayama Univ. Sci.¹, Okayama Univ. Sci.², Okayama Black Bear Res. Group³
- * P-122 Highway transverse structure use of bats and arboreal small mammals in eastern Hokkaido
*Kanae Ono, Hisashi Yanagawa
Obihiro Univ. of Agriculture and Veterinary Medicine, Lab. of Wildlife Ecology

- P-123 Nest box plus camera trap: a survey technique of arboreal mammals
*Masatoshi Yasuda
FFPRI-Kyushu
- * P-124 Performance comparison among different sensor camera models
*Motokazu Ando, Saori Toriumi, Aya Shiino, Hiroshi Ogawa, Takashi Amano
Tokyo Univ. of Agriculture
- * P-125 The impact of predation by mammals on indigenous freshwater turtle in Boso Peninsula
* Raita Kobayashi¹, Yasuhiro Kosuge², Etsuo Morita², Eriko Shinohara³
Grad. School of Agric. & Life Sci., Univ. Tokyo¹, Freshwater turtle network of Japan², Chiba Pref.³
- * P-126 Development of a simple method to estimate fruit abundance
*Ami Nakajima¹, Takashi Masaki², Shinsuke Koike³, Koji Yamazaki⁴, Koichi Kaji³
Tokyo Univ. Agri. Tech.¹, FFPRI², Tokyo Univ. Agri. Tech.³, Ibaraki Nature Museum⁴
- * P-127 Hunting areas of Jomon and Yayoi period revealed through strontium isotope analysis of excavated mammals
*Eriko Ishimaru, Shin Kicheol, Hirofumi Teramura, Riyuu Tsujino, Takanori Nakano, Takakazu Yumoto
Research Institute for Humanity and Nature
- * P-128 Development of method to exterminate for Small Asian mongoose using p-aminopropiophenone and prinperan
*Koki Hirano¹, Go Ogura², Kastushi Nakata¹, Osamu Ishibashi², Kastunori Sunagawa²
Laboratory of Subtropical Zoology, Master of Agriculture, University of the Ryukyus¹, Laboratory of Subtropical Zoology, Faculty of Agriculture, University of the Ryukyus²
- P-129 Reproductive state of masked palm civets (*Paguma larvata*) in Saitama prefecture, Japan
*Hideto Toyoda¹, Yusuke Eguchi², Masuo Furuya³, Katsuji Uetake¹, Toshio Tanaka¹
Grad Sch Vet Sci Azabu Univ¹, WeNARC², Saitama Agri Fore Res Cent³
- P-130 Japanese dormouse at Tohoku region in Japan—Behavior monitoring under rearing in hibernation—
*Nobuaki Kojo¹, Yumena Nakamura¹, Hideko Takenami²
Unive. Yamagata¹, Ooisawa Natural Museum²
- * P-131 A preliminary study on COI gene of Bovidae for the application to DNA barcoding
*Shin-ichiro Kawada, Nozomi Kurihara
Dept. Zool., Natl. Mus. Nat. Sci
- * P-133 The Geographical Variations of Japanese Black Bear on the Form of the Tooth in Kii and Shikoku
Satoshi Kamihori
Eisugakkan senior highschool

- P-134 Establishment of the cooperation training program for wildlife manager with Prefectural government and University
*Masaaki Koganezawa¹, Toshimori Takahashi², Tetsuya Maruyama³
Univ. Forests, Utsunomiya Univ.¹, SATOYAMA Center Utsunomiya Univ.², Tochigi Pref.³
- * P-135 A preliminary study on origin of Pallas's squirrel (*Callosciurus erythraeus*) population introduced in Kumamoto Prefecture, Japan
*Hitomi Ikeda¹, Masahiko Sakanashi², Masatoshi Yasuda³, Tatsuo Oshida¹
Obihiro Univ. of Agriculture and Veterinary Medicine Lab. of wildlife Ecology¹, Kumamoto Prefectural Government Culture Promotion Division², FFPRI-Kyushu³
- * P-136 Phylogenetic analysis of sika deer in Kumamoto Prefecture
*Keisuke Shibata¹, Toru Koizumi², Eiji Hosoi¹
Yamaguti Univ.¹, Forestry and Forest Products Research Institute²
- * P-137 Influence of the ban of feeding on the tomed Sika deer population on Miyazima Island
*Shiori Noda, Eiji Hosoi
Univ of Yamaguchi
- * P-138 Seasonal change in food habits and nutritional condition of Japanese wild boar in western Yamaguchi
*Toki Sato¹, Atsushi Shiota¹, Eiji Hosoi¹, Hiroyuki Tado²
Yamaguchi Univ.¹, Yamaguchi Prefecture Agriculture and Forestry General aengineering center²
- P-139 Effect of forest undergrowth density to habitat selection by sika deer
*Kazuo Mori, Hiroya Takechi, Mahito Kamada
Faculty of Engineering, Tokushima University
- P-140 Geographic variation in chromosomes of the sika deer *Cervus nippon*, in Japan with a note on the karyotype evolution
*Masashi Harada¹, Akirou Ando², Harumi Torii³, Shirow Tasuzawa⁴, Hiromasa Igota⁵, Eiji Hosoi⁶, Hiroki Kanamori⁷, Koichi Ikeda⁸, Yuji Kawai⁹, Kayoko Suetsugu¹⁰
Osaka City Univ.¹, The Univ. of Shimane², Nara Univ. Edu.³, Hokkaido Univ.⁴, Rakuno Gakuen Univ.⁵, Yamaguchi Univ.⁶, Shimane Pref. Mountainous Region Res. Center⁷, Fukuoka Pref. Forest. Res. Extgen. Center⁸, Res. Inst. Env., Agr. and Fish., Osaka Pref. Gov.⁹, Kanagawa Pref. Nat. Env. Cov. Center¹⁰
- * P-141 Interspecific variation of hindlimb morphology between Japanese weasel and Siberian weasel and its evolutionary implication
*Kent Mori¹, Satoshi Suzuki², Daisuke B. Koyabu¹, Jumpei Kimura³, Hideki Endo⁴
Grad. Sci., Univ. Tokyo¹, Dept. Zoology, Grad. Sch. Sci., Kyoto Univ.², Laboratory of Veterinary Anatomy, College of Veterinary Medicine, Seoul National Univ., Seoul, Korea³, Univ. Museum, Univ. Tokyo⁴
- * P-142 The assessment of the road use of the Iriomote cat (*Prionailurus bengalensis iriomotensis*) by the distribution of scats and prey animals on Iriomote-jima Island
*Juan Jose Diaz-Sacco, Masako Izawa
Graduate School of Engineering and Science, University of the Ryukyus